#### bulk solids handling Journal



Case Study

# Without Downtime - Large Storage Dome constructed over an operating Stockpile

Edited by on 31. Jul. 2020

Published in bulk solids handling, Vol. 32 (2012) No. 1

To protect their material and reduce dust creation, Minera San Cristobal covered their stockpile with a 140 metre diameter storage dome. The special construction of the storage dome allowed erection over the operating stockpile without system downtime.

(From the archive of "<u>bulk solids handling</u>", article published in Vol. 32 (2012) No. 1, ©2012 bulk-online.com)Located at over 4000 metres above sea level in the Altiplano of the Andes Mountains, the San Cristobal Mine is the largest mine in Bolivia. The open-pit silver, lead and zinc mine's production process requires the transportation of 150,000 tonnes of rock, and the processing of 40,000 tonnes of mineral daily.In early 2010, Bolivian contractor Carlos Caballero responded to a bid request for a stockpile containment solution. Minera San Cristobal, in accordance with its principles regarding worker protection and protection of the environment and neighbouring communities, sought to prevent the release of dust from its stockpile into the environment, and protect the material awaiting transport to the mine's ore processing facility.

**Project Details** 

#### San Cristobal Mine Storage Dome

- [Client:Minera San Christóbal S. A.
- Contractor:Carlos Caballero SRL
- **Storage Dome:**Geometrica, Inc., Dome Design and Pre-fabrication
- Location: Nor Lípez, Potosí, Bolivia
- **[Volume:**USD 10 million

Caballero teamed with global storage company Geometrica to propose a customized containment solution for the mine. Following review of the proposal and visits to other bulk storage domes in South America by San Cristobal engineers, the project was awarded to the Caballero-Geometrica team. Caballero served as the main contractor and installer of the dome, while Geometrica, as a subcontractor, engineered, manufactured and supplied the dome. Key factors in the decision to employ this type of dome solution for the site included the team's extensive experience, the capability to build around an operating stockpile, and the capability to follow an irregular shape for the supports.

### South American Record



Fig. 1: The 140 metre diameter dome at the San Cristobal Mine in Bolivia was constructed without interrupting the stockpiling operation. (Pictures: Geometrica)

The finished stockpile containment structure is a dome 140 metres in diameter and 59 metres in height anchored by concrete foundation – the largest dome of its kind in[] South [America. []The []foundation, []which[] accommodates[] a []nine []metre []change[] in []elevation[] over[] 140[] metres, [] is[] fitted[] to[] the[] terrain. [] The[] dome[] is[] designed[] to[] withstand[] wind[] speeds []of[] up[] to[] 150 kilometres[] per[] hour[] and[] an[] ic load[] of[] 110 kilogrammes []per[] square[]metre.The []Geometrica []dome[] at []San []Cristoba Mine []is []made []up []of []more []than[] 88,[]000 []galvanized[] steel tubes[] organized[] and[] inserted[] into[] aluminium[] hubs[] to[] form[] the[] structure. [] Local[] crews[] recruited[] by[] Caballero[] built[] the[] dome[] as[] deliveries[] arrived[] on[] site. []Shipments []consisted[] of [containerised] crates] of] parts, [] each[] holding] two] tonnes[] of[] structure, [] and[] organized[] by[] construction []phase. []The[] system []requires []no []welding, []as[] the[] prefabricated []tubes []slide[] easily[] into[] the[] aluminium[] hubs[] and[] hold[] fast. [] The[] precise[] yet[] simple[] assembly[] process[] allowed []the []mine[] to[] continue[] to[] operate[] i the[] midst[] of[] dome[] construction[] and[] made []it []easier []to[] assemble []the []building[] ir environment []subject[] to []high []winds.

## **Technical Details**



Fig. 2: The dome was build by local crews from more than 88000 tubes and 25000 connectors without welding.

A ventilation lantern is located at the top of the dome and additional armature the side of the dome can support dust removal equipment. The interior includes system for lowering the material-conveyor pulley for maintenance, and a catwalk circling the dome interior. Three 13 × 10 metre doors allow simultaneous access by up to two off-road vehicles to the interior of the dome. The finished build clad in galvanized and painted metal sheets and translucent skylights provide natural light. Material is transported from the dome to the mine's for processing plant via an existing underground tunnel. Geometrical and technical details of the storage solution include:

- Covered area: 15,493 square metres
- Surface area: 25,340 square metres
- Base diameter: 143 metres
- Height from base to apex: 59 metres
- Weight of structural dome elements: 523,400 kilogrammes
- Structural material: galvanized steel and aluminium
- Number of tubes: 88,329 pieces
- **Number of connectors:**25,295 pieces
- **Cladding:** galvanized steel, painted steel and translucent panels

#### • Worldwide Applications

In[] addition[] to[] creating[] the[] largest[] bulk storage[] dome[] in[] South[] America[] at []the [ Cristobal []Mine, []Geometrica []has []designed[] more[] than[] 15 []bulk []storage []domes[] for []mining []projects[] located[] in []the []Andes, []where[] construction[] challenges[] include[] rugged[] terrain, []remote[] job sites []and[] insanely []high[] snow[] loads. [] Examples[] of[] recent[] projects] include[] the[] Barrick[] Zaldivar[] Mine, [] the[] Mantos []Blancos []copper[]mine, []both []ocated[] in []neighboring[] Chile, []as] well []as []Minera[] Aguas []Tenid Spain. []Hundreds[] of []Geometrica []structures[] have[] been[] built []for []clients[] and[] end[]users[] around[] the[] world[] including[] BHP[] Billiton, [] Anglo-American, [] Barrick, [] Codelco, [] First[] Quantum, []Fluor, [] Sumitomo, [] and[] other[] mining[] companies[] in[] locations[] ranging[] from[] the[] Sahara[] desert[] to[] the[] jungles []of []Borneo.Apart[] from[] th solutions[] for[] irregular[] shapes, []the[] company[] offers[] containment[] solutions[] for[] automated, ring-shaped[] stockpiles[] and for[] spans []of []up[] to[] 300 []metres. A[] precise[] design[] process, [] the[] ability[] to []package[] and[] ship[] a complete[] structure[] by[] construction[] phase, [] and[] mechanical[] joints[] that[] do[] not[] require []welding[] result []in[] durable []structure []that []is []easily []built[] in[] a[] wide[] range[] of[] environments. For all statements in this article that refer – directly or indirectly – to the time of publication (for example "new", "now", "present", but also expressions such as "patent pending"), please keep in mind that this article was originally published in 2012.

About the Author

**G. Mendez**Administrative ManagerGeometrica, Inc., USA