Fast Fair Flexible

Used equipment for sale by Intercem

1 Used | HAVER ROTO-PACKER PACKING PLANT | IC#100167

HAVER ROTO-PACKER according to the vertical impeller filling system, for bagging into self-closing valve type bags and simultaneous weighing, this plant including also a bucket elevator, vibration screen, discharge belt conveyor and a dedusting filter. Documentation available.

Technical specification:

Roto-Packer 10RS

Capacity: Approx 3300bag/h,

Size of bags: 25 kg,
Year of construction: 1998,
Type: 10 RS,
Spouts: 10,
Control: MEC II,



In case of Interest please contact:

Mr. Tim Hücking, tel. +49 2522 92058-17, t.huecking@intercem.de

Intercem Engineering GmbH Carl-Zeiss-Str. 10

59302 Oelde, Germany Phone: +49 2522 92058-0 Fax: +49 2522 92058-20

www.intercem.de

Intercem Engineering is a leading company for the supply of used and new equipment for the cement industry. Turn key plants are either designed as combination of used and —as fare as necessary- new equipment. A high-class team of engineers provides comprehensive engineering for technology and design also for complete new production lines. If you are interested the o. m. component could be implemented in a comprehensive solution.



Page 1 of 4 IC00167 2/2009

Fast_Fair_Flexible_

1 Beumer Palettpac

Type: FSSQD 4000

Year of construction: 1998,

1 Belt bucket elevator BEUMER,

Bucket width: 160mm,
C-t-c distance: 21.200mm,
Buckets 84 Piece,
Belt width: 200mm,
Capacity: 14t/h-cement,

4 x Screw conveyors


Dia.=250mm, I= 9m,3,6m,2m,2,765m,

- 1 double rotary valve
- 1 Shutter




Picture: 1 Sack discharge

Fast_Fair_Flexible_



Picture: 2 Paletizing arrangement



Picture: 3 Rotopacker arrangement



Page 3 of 4 IC00167 2/2009

Fast_Fair_Flexible_



Picture: 4 Rotopacker arrangement

Page 4 of 4 IC00167 2/2009